



B-Space | Architect of Shade

Pergotenda®  
B-Space



Retractable pergola for large spaces

# Pergotenda® B-Space



B-Space is a larger, wall-mounted retractable roof system that is custom made for sun, wind, and rain protection. It consists of an aluminum structure and a folding canvas that is supported by intermediate tubes (1.6"x2") and terminal bars (3.1"x2") set parallel to one another approximately every 24" on pitched systems and 20" on flat versions. The canvas moves by sliding on runners, with an integrated anti-spray profile, and sliders using 6 asymmetrically arranged wheels with a capacity

of 1000 lbs. each. The toothed transmission belt contains stainless steel cables with a tensile strength of 2000 lbs. at break. It also resists salt water environments. The transmission belt is inserted in each runner, controlled by the notched pulley and a single drive shaft which guarantees the smooth forward movement of the canvas. The Pergotenda® B-Space system is operated by a radio-controlled Dunker D839 motor and a Somly receiver. Hardware and accessories are 304 stainless steel.

## FEATURES & OPTIONS

- MOTORIZED**
- FLAT OR PITCHED**
- MADE TO MEASURE**
- LEDs**
- WEATHER RESISTANT**
- SIDE ENCLOSURES**
- WALL OR CEILING MOUNT**
- RETRACTABLE GUTTER (PITCHED ONLY)**
- SENSORS AND ACCESSORIES**
- FAUX CEILING**
- GABLE**

## SIZES



### PITCHED MAX DIMENSIONS

	Width	Projection
2 runner	197"	354"
3 runner	354"	354"
4 runner	512"	354"
5 runner*	512"	354"

\*5 runner available pitched only  
Note: when pitched and has 4 to 5 runners, system will require 2 motors.

### FLAT MAX DIMENSIONS

	Width	Projection
2 runner	138"	354"
3 runner	276"	354"
4 runner	413"	354"

### FLAT MAX DIMENSIONS TRAPEZOIDAL SLACK

	Width	Projection
2 runner	197"	354"
3 runner	315"	354"
4 runner	472"	354"

## FRAME COLORS

### POWDER COATING\*

The aluminum extrusions are painted in-house with our state-of-the-art powder coating line using certified Qualicoat cycle epoxy powders (AAMA 2605). The support tubes come in: White Quartz, Glacier and Beach Sand to match the Eclissi fabric.

\*RAL CUSTOM COLOR POWDER COATING IS ALSO AVAILABLE

Due to print variation these finish images should not be used for final production specifications.



## FABRICS

### ECLISSI BLACKOUT FABRIC

Exclusively used by Corradi USA for Pergotenda® structures. Waterproof, fire retardant, and available in 3 colors.



### SERGE FERRARI

Precontraint® tension vinyl and solar protection fabrics.

- SOLTIS HORIZON 86
- SOLTIS HARMONY 88
- SOLTIS PERFORM 92
- SOLTIS PROOF W88 & W96 (WATERPROOF)
- SOLTIS PROOF 502 (WATERPROOF)
- SOLTIS OPAQUE

## MOTORS RADIO CONTROLLED DUNKER D839



B-Space | New Haven Awning

## B-SPACE WALL TO WALL

B-Space Wall to Wall Pergotenda® is a solution for installations that require a Pergotenda® system and frame that attaches to a wall or structure at each end, just like the Palladia® Wall to Wall but on a larger scale. It uses special brackets to attach to the walls or ceiling on each side for support. It has most of the same attributes as a traditional B-Space Pergotenda®, but without pillars or corner pieces.



### PITCHED MAX DIMENSIONS

	Width	Projection
2 runner	197"	354"
3 runner	354"	354"
4 runner	512"	354"
5 runner*	512"	354"

\*5 runner available pitched only  
Note: when pitched and has 4 to 5 runners, system will require 2 motors.

### FLAT MAX DIMENSIONS

	Width	Projection
2 runner	138"	354"
3 runner	276"	354"
4 runner	413"	354"

### FLAT MAX DIMENSIONS TRAPEZOIDAL SLACK

	Width	Projection
2 runner	197"	354"
3 runner	315"	354"
4 runner	472"	354"

